



ALUMINUM COMPOSITE PANEL



Aluminum composite panel has a long range of applications in nowadays construction, decoration and advertising sign board making sectors, it features lightweight, high strength, superior rigidity, excellent flatness, weather resistance and outstanding color retention and is being widely used as curtain wall overcladding, wood or Granite pattern ACP indoor and outdoor decorations in household, public areas and automotives, fireproof ACP for smoking room decoration.

RAW MATERIALS:

Basis aluminum: aluminum alloy 1100 and 3003

Plastic core: non-toxic low density polyethylene

Surface coating: PVDF, Polyester, FEVE, Nano, Spectra and special.

SPECIFICATION:

(1) Panel thickness: 2mm, 3mm, 4mm, 5mm, 6mm

(2) Alu skin thickness: 0.20mm, 0.25mm, 0.3mm, 0.35mm, 0.4mm, 0.45mm, 0.5mm


(3) Width: 1220mm, 1250mm, 1500mm, 1550mm

(4) Length: less than 6100mm

(5) Standard size: 1220x2440mm, 1250x3750mm, 1500x5000mm

(6) Color: 70 series of standard color in our color chart.

Special sizes and Color are available as customers requirement



PRODUCT VARIETY:

PVDF Aluminum Composite Panel for Architecture

FEVE Aluminum Composite Panel for Architecture

FR Aluminum Composite Panel for Architecture

NANO Aluminum Composite Panel for Architecture

Spectra Aluminum Composite Panel for Architecture

PE ACP for DIGITAL PRINTING

PE ACP for Signage/Display

Brush/Mirror ACP


Wood / Granite Pattern ACP






PVDF/FEVE Aluminum Composite Panel
 for Architecture Keywords:
 Most popular, wholeworld
 Recommend Dimension: 4mm,5mm,6mm, with
 alu-skin above 0.3mm
 Color: champagne, metallic, metallic grey
 Warranty: 15 years outdoor
 Application: Kasmoll Building, Italy



FireResist Aluminum Composite Panel
 for Architecture Keywords:
 Fire-proof in A2 degree, Safety
 Recommend Dimension: 4mm,5mm,6mm, with alu-skin
 above 0.3mm
 Color: champagne, metallic, metallic grey
 Warranty: 15 years outdoor



NANO Aluminum Composite Panel
 for Architecture Keywords: self-clean by rain,
 environment Recommend Dimension: 4mm,5mm,
 6mm, with alu-skin above 0.3mm
 Color: champagne, metallic, metallic grey
 Warranty: 15 years outdoor



Spectra Aluminum Composite Panel for
 Architecture
 Keywords: show different color from different eyesight
 Recommend Dimension: 4mm,5mm,6mm, with alu-skin
 above 0.3mm
 Color: spectra red, spectra champagne,spectra silver
 Warranty: 15 years outdoor



PE ACP for DIGITAL PRINTING
 PE ACP for Signage/Display Keywords: flatable, printing diectly,
 various color Recommend Dimension: 2mm,3mm,6mm, with
 alu-skin above 0.21mm, 0.3mm
 Color: matt white, glossy white, matt black, brush,
 pink, blue, red, yellow, orange, green.
 Warranty: 3-5 years outdoor
 8-10 years indoor





Brush/Mirror ACP
 Wood / Granite Pattern ACP
 for Decorative

Keywords: beautiful, modern

Recommend Dimension: 2mm-6mm, with alu-skin
 above 0.21mm

Color: see our color chart



Physical features & technical parameters

Item	Standar Index	Test value
Weight	ASTM D792	T3mm - 3.8 kg/m ²
Thermal expansion coefficient	ASTM D696	115
Thermal conductivity	ASTM D648	0.102 kcal/m.hr
Bending rigidity	ASTM C393	14.0 × 10 ⁻⁵
Penetration intensity	ASTM D732	1.640 kgf
Adherense intensity	ASTM D903	0.77 kg/mm
Cutting resistance	ASTM D732	2.7kgf/mm ²
Combustion expansion coefficient	ASTM E84	Qualified
Wind pressure resistance	ASTM E330	Pass

Packing and Loading (professional export wooden cases)



Email: contactanos@dittaforte.com.mx
 Of. (33) 1204-0664